

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

Jong Chul BANG

Serial No.: 10/721,179

Filed: November 26, 2003

Confirmation No.: 6624



Group Art Unit: 3749

Examiner: Kenneth RINEHART

Customer No.: 34610

For DRYER

U.S. Patent and Trademark Office
 220 20th Street South
 Customer Window, Mail Stop Amendment
 Crystal Plaza Two, Lobby, Room 1B03
 Arlington, VA 22202

Dear Sir:

Transmitted herewith is an Amendment and/or Reply in the above identified application.

No additional fee is required.
 Also attached: Two sheets of annotated drawings, two replacement sheets of drawings and a substitute Abstract.

The fee has been calculated as shown below:

	NO. OF CLAIMS	HIGHEST PREVIOUSLY PAID FOR	EXTRA CLAIMS	RATE	FEE
Total Claims	32	20	12	x \$18 =	\$216.00
Independent Claims	3	3	0	x \$43=	\$0.00
If multiple claims newly presented, add \$290.00					\$0.00
Fee for extension of time					\$0.00
TOTAL FEE DUE					\$216.00

Please charge my Deposit Account No. 16-0607 in the amount of \$. An additional copy of this transmittal sheet is submitted herewith.

A check in the amount of \$ 216.00 (Check #14093) is attached.

The Commissioner is hereby authorized to charge payment of any fees associated with this communication or credit any overpayment, to Deposit Account No. 16-0607, including any filing fees under 37 C.F.R. 1.16 for presentation of extra claims and any patent application processing fees under 37 C.F.R. 1.17.

Respectfully submitted,
 FLESHNER & KIM, LLP
 Carol L. Druzbick
 Registration No. 40,287

P.O. Box 221200
 Chantilly, VA 20153-1200
 (703) 766-3701 DYK:CLD:JCE:JKM/par/mrh
 Date: November 16, 2004
Please direct all correspondence to Customer No. 34610

TFW ✓

Docket No.: K-0586

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

Jong Chul BANG

Serial No.: 10/721,179

Filed: November 26, 2003

For: DRYER



Confirmation No.: 6624

Group Art Unit: 3749

Examiner: Kenneth RINEHART

Customer No.: 34610

U.S. Patent and Trademark Office
220 20th Street South
Customer Window, Mail Stop Amendment
Crystal Plaza Two, Lobby, Room 1B03
Arlington, VA 22202

Sir:

In response to the Office Action of August 18, 2004, please amend the above-identified application as follows:

Amendments to the Drawings begin on page 2 of this paper and include both an attached replacement sheet and an annotated sheet showing changes.

Amendments to the Abstract begin on page 3 of this paper.

Amendments to the Specification begin on page 4 of this paper.

Amendments to the Claims are reflected in the listing of claims which begins on page 8 of this paper.

Remarks/Arguments begin on page 16 of this paper.

An **Appendix** including amended drawing figures and a substitute Abstract is attached following page 22 of this paper.